



FIRE FIGHTER I

JPR: FFI-1A

Candidate: _____

STANDARD: 4.1.2		Don personal protective clothing within one (1) minute.
NFPA 1001, 2019 Edition		
General Skill Requirements:		
PERFORMANCE OUTCOME: The candidate shall be able to properly don personal protective clothing in one minute. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Bunker pants, coat, hood, gloves, and helmet.		
CONDITIONS: Given personal protective clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
DONNING:		
1.	Don pants and boots properly-including suspenders in place.	
2.	Don hood.	
3.	Don coat-including storm flap closed and collar up and secured.	
4.	Don helmet. (eye protection not required)	
5.	Don gloves.	
6.	Complete above correctly within one minute.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-1C

Candidate: _____

STANDARD: 4.1.2 NFPA 1001, 2019 Edition General Skill Requirements	Task: Locate information in departmental documents and standard or code materials.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to locate written documents, policies, procedures, and standard or code materials. The candidate is not expected to locate specific information contained in the document, only the document. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Department Standard Operating Procedures, NFPA Standards, EMS Protocol, Member handbook or Code Book.		
CONDITIONS: Given department reference material, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Locate department Standard Operating Procedure, NFPA standard, EMS Protocol, Member handbook or code (specific procedure, standard, or code determined by proctor).	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-1D

Candidate: _____

STANDARD: 4.1.2 NFPA 1001, 2019 Edition General Skill Requirements:		Task #1: Perform field reduction of contaminants. Task #2: Doff personal protective clothing and prepare for reuse.
PERFORMANCE OUTCOME: The candidate shall be able to properly perform field reduction, and doff personal protective clothing for reuse. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Bunker pants, coat, hood, gloves, and helmet.		
CONDITIONS: Given personal protective clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
FIELD REDUCTION:		
1.	Perform field reduction of contaminants per AHJ standard practice.	
DOFFING:		
2.	Explain or demonstrate AHJ process for returning PPE in an operational state.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-2A

Candidate: _____

STANDARD: 4.2.1 NFPA 1001, 2019 Edition Fire Department Communications	Task: Initiate a response to a reported emergency, given the report of an emergency, department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center.	
<p>The candidate shall demonstrate the ability to operate fire department communications equipment, relay information, and record information.</p> <p>PERFORMANCE OUTCOME: Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>		
<p>EQUIPMENT REQUIRED: Department SOP's, communication equipment, paper, and pencil.</p>		
<p>CONDITIONS: Given a scenario of a reported alarm, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Verbalize how the alarm is received.	
2.	Write proper address and nature of the emergency.	
3.	Promptly contacts dispatch by radio indicating an alarm has been received.	
4.	Informs dispatch that they are responding to the emergency.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-2B

Candidate: _____

STANDARD: 4.2.2 NFPA 1001, 2019 Edition Fire Department Communications	Task: Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is relayed.	
PERFORMANCE OUTCOME: The candidate shall be able to operate fire station telephone and intercom equipment. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Telephone, paper, and pencil.		
CONDITIONS: Given a real or simulated call, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Ensure paper and pencils (or pens) are available.	
2.	Answer the phone promptly.	
3.	Identify himself/herself and the department to the caller.	
4.	Take an appropriate message (i.e. date, time, caller, caller's phone number and person taking call).	
5.	Deliver a message or transfer the call to the appropriate person.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-2C

Candidate: _____

STANDARD: 4.2.3 NFPA 1001, 2019 Edition Fire Department Communications		Task: Transmit and receive messages via the fire department radio, given a fire department radio and operating procedures, so that the information is accurate, complete, clear, and relayed within the time established by the AHJ.
PERFORMANCE The candidate shall demonstrate the ability to operate radio equipment and discriminate between routine and emergency traffic.		
OUTCOME: Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Fire department mobile or portable radio.		
CONDITIONS: Given a scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Determine there is no other radio traffic before transmitting (unless emergency traffic).	
2.	Speak calmly, clearly, distinctly and at a medium speed.	
3.	Transmit a message that is brief, accurate and to the point.	
4.	Identify who the message is addressed to.	
5.	Identify the person or unit transmitting.	
6.	Acknowledges information back from command (if applicable).	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3B

Candidate: _____

STANDARD: 4.3.2 NFPA 1001, 2019 Edition Fire Ground Operations		Task: Respond on an apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used.
PERFORMANCE OUTCOME: The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Fire apparatus, personal protective equipment, hearing protection, eye protection for those not in enclosed cabs.		
CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
MOUNTING:		
1.	Mount fire apparatus.	
2.	Correctly use all protective equipment furnished.	
DISMOUNTING:		
3.	Look for hazards before stepping off vehicle.	
4.	Safely dismount.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3C

Candidate: _____

STANDARD: 4.3.3 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, photovoltaic power systems, battery storage systems, an assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established as directed using traffic and scene control devices, and the firefighter performs assigned tasks only in established, protected work areas.	
PERFORMANCE OUTCOME: The candidate shall be able to use personal protective clothing, deploy traffic and scene control devices, dismount apparatus, and operate in the protected work areas as directed. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Full personal protective clothing, traffic control devices (i.e. traffic cones, flares, etc.), and fire apparatus.		
CONDITIONS: Given a simulated emergency scene, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Properly dismounts apparatus with PPE correctly worn.	
2.	Size-up emergency scene for hazards.	
3.	Identify potential hazards.	
4.	Deploy traffic and/or scene control devices.	
5.	Describe measures to ensure continued scene safety of those operating within the work area.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3D

Candidate: _____

STANDARD: 4.3.4		Task: Force entry into a structure, given full PPE, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry.
NFPA 1001, 2019 Edition		
Fire Ground Operations		
<p>The candidate shall demonstrate the ability to transport and operate hand and power tools and to force entry through doors, windows, and walls using assorted methods and tools.</p> <p>PERFORMANCE OUTCOME: Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>		
EQUIPMENT REQUIRED: PPE, appropriate hand or power tools, and forcible entry props (if available).		
CONDITIONS: Given a Door, Window and Wall prop the candidate shall demonstrate the ability to:		
No.	Task Steps (ALL REQUIRED)	✓
DOOR		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the door.	
3.	Correctly size up the door.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
WALL		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the wall.	
3.	Sound for studs (if applicable).	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
WINDOW		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the window.	
3.	Correctly size up the window.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
5.	Clear opening of obstacles (i.e. Glass, Curtains, Blinds (if applicable)).	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3F

Candidate: _____

STANDARD: 4.3.6 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Set up, mount, ascend, descend, dismount ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.	
PERFORMANCE OUTCOME:	The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards, mount, ascend, descend and dismount the ladder. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Straight ladder, various sizes of extension ladders, and full personal protective clothing (SCBA determined by proctor).		
CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Select the proper length ladder for the designated task.	
2.	Lift/carry the ladder from the designated area or apparatus.	
3.	Visually check work area for hazards and state if area is safe or if hazards exist.	
4.	Raise the ladder upright.	
5.	Extend and secure fly section (if using an extension ladder).	
6.	Lower ladder against stable wall or surface.	
7.	Adjust for proper climbing angle.	
8.	Position ladder correctly for task given.	

No.	Task Steps	✓
9.	Mounts, Ascends Ladder Properly.	
	SELECT ONE TASK:	
	Window Ventilation: Ladder tip placed about even with the top of the window and to the windward side.	
	Rescue from window or entry through window: Placed slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder for rescue or entry.	
	Work with hose with no entry: Tip placed on wall above window opening if no flames extending from window or at sill if flames out window.	
	Access roof: Placed against roof with 3-5 rungs extending above roof.	
10.	Dismounts and Descends Ladder Properly.	
11.	Lower ladder to ground (reversing raising procedures).	
12.	Lift/carry ladder to designated site or apparatus.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3L

Candidate: _____

STANDARD: 4.3.13 NFPA 1001, 2019 Edition Fire Ground Operations	TASK: Overhaul a fire scene, given full PPE, an attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to deploy and operate an attack line; remove flooring, ceiling, and wall components to expose void spaces without compromising structural integrity; apply water for maximum effectiveness; expose and extinguish hidden fires in walls, ceilings, and subfloor spaces; recognize and preserve obvious signs of area of origin and arson; and evaluate for complete extinguishment. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
Equipment Required: Full PPE including SCBA, pike poles, hand tools, thermal imager (if available), attack line and/or portable water extinguisher.		
Conditions: Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Select proper equipment and extinguishing source for type of overhaul requested.	
2.	Demonstrate locating hidden fires by sight, touch, sound, or electronic sensor.	
3.	Expose hidden fires in ceilings, walls, and/or subfloor spaces.	
4.	Remove or extinguish burning objects.	
5.	Preserve evidence or signs of cause and origin.	
6.	Ensure and evaluate debris piles or burning material is completely extinguished.	

Evaluator (Print & Sign) _____

Date: _____



FIRE FIGHTER I

JPR: FFI-3M

Candidate: _____

STANDARD: 4.3.14 NFPA 1001, 2019 Edition Fire Ground Operations	TASK: Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage.	
PERFORMANCE OUTCOME:	<p>The candidate, while operating as a member of a team, shall demonstrate the ability to cluster furniture; deploy covering materials; roll and fold salvage covers for reuse; construct water chutes and catch-alls; remove water; cover building openings, including doors, windows, floor openings, and roof openings; separate, remove, and relocate charred materials to a safe location while protecting the area of origin for cause determination; stop the flow of water from a sprinkler with sprinkler wedges or stoppers; and operate a main control valve on an automatic sprinkler system.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
Equipment Required: PPE, SCBA, pike poles, salvage covers, and sprinkler wedges or stoppers.		
Conditions: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Arrange furnishings in close piles(s) and raised off the floor if possible while preserving evidence or signs of cause and origin.	
2.	Cover the pile with a salvage cover using two different spreads. (Check) <div style="display: flex; justify-content: space-around;"> One Firefighter Spread <input type="checkbox"/> Two Firefighter Spread <input type="checkbox"/> Two Firefighter Balloon Throw <input type="checkbox"/> </div>	
3.	Construct or perform one of the below called for in the scenario. (Check) <div style="display: flex; justify-content: space-around;"> Water Catch-All <input type="checkbox"/> Water Chute <input type="checkbox"/> </div>	
4.	Verbalize OR demonstrate one of the below. (Check) <div style="display: flex; justify-content: space-around;"> Stop Activated Sprinkler Head <input type="checkbox"/> Operate Main Control Valve <input type="checkbox"/> </div>	
5.	Roll and/or Fold salvage cover for reuse.	

 Evaluator (Print & Sign)

 Date:



FIRE FIGHTER I

JPR: FFI-3N

Candidate: _____

STANDARD: 4.3.15 NFPA 1001, 2019 Edition Fire Ground Operations		TASK: Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed.			
PERFORMANCE OUTCOME:		The candidate, while operating as a member of a team, shall demonstrate the ability to hand lay a supply hose, connect and place hard suction hose for drafting operations, deploy portable water tanks as well as the equipment necessary to transfer water between and draft from them, make hydrant-to-pumper hose connections for forward and reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.			
Equipment Required: Full PPE, appropriate equipment for hydrant or static water supply.					
Conditions: Given a static water source or fire hydrant, the candidate shall demonstrate the ability to:					
No.	Task Steps			✓	
	CHECK:	Fire Hydrant	or	Static Water Source	
FIRE HYDRANT CONNECTION VIA FORWARD & REVERSE LAY					
1.	Connect supply hose to hydrant.				
2.	Connect supply hose to pumper intake.				
3.	Fully open hydrant.				
4.	Fully close the hydrant.				
STATIC WATER SOURCE					
1.	Deploy portable water tank.				
2.	Check gaskets on the hard suction hose for dirt, gravel or defects.				
3.	Connect strainer to hose.				
4.	Connect hard suction hose to pumper.				
5.	Lower hose and strainer into static water source.				

 Evaluator (Print & Sign)

 Date:



FIRE FIGHTER I

JPR: FFI-30

Candidate: _____

STANDARD: 4.3.16 NFPA 1001, 2019 Edition Fire Ground Operations	TASK: Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
Equipment Required: Full PPE if applicable, a variety of fire extinguishers, burn pan or prop.		
Conditions: Given a small Class A, Class B, or Class C fire, and in full protective equipment, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
	CHECK CLASS OF FIRE TO BE EXTINGUISHED: Class A <input type="checkbox"/> Class B <input type="checkbox"/> Class C <input type="checkbox"/>	
1.	Correctly identify the class of fire.	
2.	Select an extinguisher suitable for fire given.	
3.	Properly activate the extinguisher (pull pin and/or puncture cartridge).	
4.	Approach to an effective distance for discharge of the selected extinguisher.	
5.	Discharge extinguisher agent on the base of the fire and sweep over the fire area.	
6.	Advance on the remaining burning material while continuing to extinguish hot spots.	
7.	Extinguish the fire and check for remaining hot spots.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-5A

Candidate: _____

STANDARD: 4.5.1 NFPA 1001, 2019 Edition Preparedness, and Maintenance		Task: Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to select correct tools for various parts and pieces of equipment, follow guidelines, and complete recording and reporting procedures. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
Equipment Required: Ladders, rope, salvage equipment, ventilation equipment, hand tools, SCBA, service tags, and cleaning supplies.		
CONDITIONS: Given firefighting equipment, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
EQUIPMENT TO BE CLEANED AND INSPECTED (SCBA Mandatory & Check One Other): <div style="display: flex; justify-content: space-around;"> <div>SCBA <input type="checkbox"/></div> <div>Hand Tool <input type="checkbox"/></div> <div>Ventilation Equipment <input type="checkbox"/></div> </div> <div style="display: flex; justify-content: space-around;"> <div>Ladder <input type="checkbox"/></div> <div>Rope <input type="checkbox"/></div> <div>Salvage Equipment <input type="checkbox"/></div> </div>		
SCBA		
1.	Inspect / Clean face piece according to department policies.	
2.	Inspect / Clean back plate/frame/harness assembly according to department policies.	
3.	Inspect / Clean cylinder.	
4.	Place in ready state or report any deficiencies.	
Hand Tools		
Wooden / Fiberglass Handles:		
1.	Inspect Handle.	
2.	Inspect Head / Cutting edge / Surface.	
3.	Clean Tool.	
4.	Place in ready state or report any deficiencies.	

No.	Task Steps	✓
Ventilation Equipment - PICK ONE		
Fueled		
1.	Check fuel level.	
2.	Check that appropriate guards are in place.	
3.	Check starting.	
4.	Place in ready state and report any deficiencies.	
Electric		
1.	Check electric cords for damage if applicable.	
2.	Check that appropriate guards are in place.	
3.	Check starting.	
4.	Place in ready state and report any deficiencies.	
Ladders		
1.	Clean Ladder.	
2.	Examine all beams, guides, halyard, cable, pawls, pulleys, rails, rungs, bolts, rivets, welds, heat indicator, and movable parts.	
3.	Place in ready state and report any deficiencies.	
Rope		
1.	Clean rope.	
2.	Visually and physically inspect rope for damage.	
3.	Place in ready state and report any deficiencies.	
Salvage Equipment		
1.	Clean provided salvage equipment.	
2.	Inspect equipment and identify damage.	
3.	Place in ready state and report any deficiencies.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-5B

Candidate: _____

STANDARD: 4.5.2 NFPA 1001, 2019 Edition Preparedness, and Maintenance		Task: Clean, inspect, and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service.
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to clean different types of hose, operate hose washing and drying equipment (if available), mark defective hose, and replace coupling gaskets, roll hose, and reload hose. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
Equipment Required: Fire apparatus, scrub brush, hose, cleaning supplies, replacement gaskets, hose washer and dryer (if available), log book or tags for reporting repair needs, and personal protective clothing (proctor to determine what PPE is to be worn).		
CONDITIONS: Given Fire Department hose and apparatus, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
INSPECT / CLEAN HOSE		
1.	Inspect / Clean hose.	
2.	Inspect / Clean couplings according to department guidelines.	
3.	Dry hose.	
4.	Place in ready state and report any deficiencies.	
RETURNING HOSE TO SERVICE		
5.	Roll hose as selected by proctor (Check one): Straight <input type="checkbox"/> Donut <input type="checkbox"/> Twin Donut <input type="checkbox"/> Self-Locking Twin Donut <input type="checkbox"/>	
6.	Reload hose on apparatus using a hose load specific to apparatus or department: Pre-connect Supply Line	

Evaluator (Print & Sign)

Date: