



FIRE FIGHTER I

JPR: FFI-1A

Candidate: _____

STANDARD: 4.1.2 NFPA 1001, 2019 Edition General Skill Requirements:	Don personal protective clothing within one (1) minute.	
PERFORMANCE OUTCOME:	The candidate shall be able to properly don personal protective clothing in one minute. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Bunker pants, coat, hood, gloves, and helmet.		
CONDITIONS: Given personal protective clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
DONNING:		
1.	Don pants and boots properly-including suspenders in place.	
2.	Don hood.	
3.	Don coat-including storm flap closed and collar up and secured.	
4.	Don helmet. (eye protection not required)	
5.	Don gloves.	
6.	Complete above correctly within one minute.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-1D

Candidate: _____

STANDARD: 4.1.2 NFPA 1001, 2019 Edition General Skill Requirements:	Task #1: Perform field reduction of contaminants. Task #2: Doff personal protective clothing and prepare for reuse.	
PERFORMANCE OUTCOME:	The candidate shall be able to properly perform field reduction, and doff personal protective clothing for reuse. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Bunker pants, coat, hood, gloves, and helmet.		
CONDITIONS: Given personal protective clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
FIELD REDUCTION:		
1.	Perform field reduction of contaminants per AHJ standard practice.	
DOFFING:		
2.	Explain or demonstrate AHJ process for returning PPE in an operational state.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3A

Candidate: _____

<p>STANDARD: 4.3.1; 4.3.9</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Use SCBA during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned and activated within 1 minute, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion.</p>	
<p>PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to Don SCBA within 1-minute, control breathing, replace SCBA air cylinders, use SCBA to exit through restricted passages, initiate and complete emergency procedures in the event of SCBA failure or air depletion, and complete donning procedures.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>		
<p>EQUIPMENT REQUIRED: SCBA, prop for restricted passage, and full personal protective equipment.</p>		
<p>CONDITIONS: Given a non-fire ground environment and with restricted passages, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
Don SCBA:		
1.	Correctly don SCBA including checking amount of air in cylinder and operation of low air alarm and PASS device.	<input type="checkbox"/>
2.	Correctly don face piece including checking seal and operating of exhalation.	<input type="checkbox"/>
3.	Have all personal protective clothing correctly in place.	<input type="checkbox"/>
4.	Correctly accomplished all of the above in one (1) minute.	<input type="checkbox"/>
DEMONSTRATE CONSERVATION OF AIR:		
5.	Controlled Breathing: (As taught / Instructed by AHJ).	<input type="checkbox"/>
SCBA FAILURE:		
6.	<i>Air Delivery System :</i>	<input type="checkbox"/>
	Recognizes Air Delivery System Failure	<input type="checkbox"/>
	Initiates actions to exit hazardous environment	<input type="checkbox"/>
	Activates PASS Device	<input type="checkbox"/>
CYLINDER REPLACEMENT - NON HAZARDOUS ENVIRONMENT:		
7.	Properly demonstrates ability to change out empty cylinder with full cylinder	<input type="checkbox"/>
RESTRICTED PASSAGE:		
8.	Demonstrate the ability to maneuver through a restricted passage while remaining on air.	<input type="checkbox"/>

Evaluator (Print & Sign)

Date: