



FIRE FIGHTER I

JPR: FFI-3B

Candidate: _____

STANDARD: 4.3.2 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Respond on an apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used.	
PERFORMANCE OUTCOME:	The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Fire apparatus, personal protective equipment, hearing protection, eye protection for those not in enclosed cabs.		
CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
MOUNTING:		
1.	Mount fire apparatus.	<input type="checkbox"/>
2.	Correctly use all protective equipment furnished.	<input type="checkbox"/>
DISMOUNTING:		
3.	Look for hazards before stepping off vehicle.	<input type="checkbox"/>
4.	Safely dismount.	<input type="checkbox"/>

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3C

Candidate: _____

<p>STANDARD: 4.3.3</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, photovoltaic power systems, battery storage systems, an assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established as directed using traffic and scene control devices, and the firefighter performs assigned tasks only in established, protected work areas.</p>	
<p>PERFORMANCE OUTCOME: The candidate shall be able to use personal protective clothing, deploy traffic and scene control devices, dismount apparatus, and operate in the protected work areas as directed.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>		
<p>EQUIPMENT REQUIRED: Full personal protective clothing, traffic control devices (i.e. traffic cones, flares, etc.), and fire apparatus.</p>		
<p>CONDITIONS: Given a simulated emergency scene, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Properly dismounts apparatus with PPE correctly worn.	<input type="checkbox"/>
2.	Size-up emergency scene for hazards.	<input type="checkbox"/>
3.	Identify potential hazards.	<input type="checkbox"/>
4.	Deploy traffic and/or scene control devices.	<input type="checkbox"/>
5.	Describe measures to ensure continued scene safety of those operating within the work area.	<input type="checkbox"/>

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3D

Candidate: _____

STANDARD: 4.3.4 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Force entry into a structure, given full PPE, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry.	
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to transport and operate hand and power tools and to force entry through doors, windows, and walls using assorted methods and tools. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: PPE, appropriate hand or power tools, and forcible entry props (if available).		
CONDITIONS: Given a Door, Window and Wall prop the candidate shall demonstrate the ability to:		
No.	Task Steps (ALL REQUIRED)	✓
DOOR		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the door.	
3.	Correctly size up the door.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
WALL		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the wall.	
3.	Sound for studs (if applicable).	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
WINDOW		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the window.	
3.	Correctly size up the window.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
5.	Clear opening of obstacles (i.e. Glass, Curtains, Blinds (if applicable)).	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3E

Candidate: _____

STANDARD: 4.3.5 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to operate as a team member in vision-obscured conditions, locate and follow a guideline, conserve air supply, and evaluate areas for hazards and identify a safe haven. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Personal protective equipment, SCBA, hand tools, and hose line / guideline.		
CONDITIONS: Given a simulated or live fire scenario, as a member of a team with vision-obscured conditions, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Determine air supply available prior to entering the hazardous atmosphere.	
2.	Monitor the air supply available while in the hazardous atmosphere.	
3.	Locate hose line or guideline and determine correct method of travel for egress.	
4.	Make decision to leave hazardous atmosphere before depletion of air supply while maintaining team integrity.	
5.	Exit hazardous atmosphere before depletion of air supply.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3F

Candidate: _____

<p>STANDARD: 4.3.6</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Set up, mount, ascend, descend, dismount ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards, mount, ascend, descend and dismount the ladder.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
<p>EQUIPMENT REQUIRED: Straight ladder, various sizes of extension ladders, and full personal protective clothing (SCBA determined by proctor).</p>		
<p>CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Select the proper length ladder for the designated task.	
2.	Lift/carry the ladder from the designated area or apparatus.	
3.	Visually check work area for hazards and state if area is safe or if hazards exist.	
4.	Raise the ladder upright.	
5.	Extend and secure fly section (if using an extension ladder).	
6.	Lower ladder against stable wall or surface.	
7.	Adjust for proper climbing angle.	
8.	Position ladder correctly for task given.	

No.	Task Steps	✓
9.	Mounts, Ascends Ladder Properly.	
	SELECT ONE TASK: Window Ventilation: Ladder tip placed about even with the top of the window and to the windward side.	
	Rescue from window or entry through window: Placed slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder for rescue or entry.	
	Work with hose with no entry: Tip placed on wall above window opening if no flames extending from window or at sill if flames out window.	
	Access roof: Placed against roof with 3-5 rungs extending above roof.	
10.	Dismounts and Descends Ladder Properly.	
11.	Lower ladder to ground (reversing raising procedures).	
12.	Lift/carry ladder to designated site or apparatus.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3H

Candidate: _____

<p>STANDARD: 4.3.8</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.</p>	
<p>PERFORMANCE OUTCOME:</p> <p>The candidate shall demonstrate the ability to recognize inherent hazards related to the material’s configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate for complete extinguishment, operate hose lines and other water application devices, evaluate and modify water application for maximum penetration, search for and expose hidden fires, and assess patterns for origin determination and evaluate for complete extinguishment.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>		
<p>Equipment Required: Stack of Class A material or unattached structure or storage container, hose lines, hand tools, dedicated safety line with personnel, fire apparatus, and full personal protective equipment with SCBA.</p>		
<p>Conditions: Given a simulated or live exterior Class A fire, in accordance to NFPA 1403 guidelines, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Describe inherent hazards related to the burning material’s configuration.	<input type="checkbox"/>
2.	Properly bleed attack line and adjust nozzle.	<input type="checkbox"/>
3.	Break up material using hand tools and water streams.	<input type="checkbox"/>
4.	Operate hose lines and/or other water application devices.	<input type="checkbox"/>
5.	Evaluate and modify water application for maximum penetration.	<input type="checkbox"/>
6.	Extinguish the fire.	<input type="checkbox"/>
7.	Overhaul fire scene while protecting and preserving signs of cause or origin if present.	<input type="checkbox"/>
8.	Evaluate for complete extinguishment.	<input type="checkbox"/>

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-3I

Candidate: _____

<p>STANDARD: 4.3.9</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>TASK: Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team member’s safety – including respiratory protection – is not compromised.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate to the ability to use an SCBA to exit through restricted passages, set up and use different types of ladders for various types of rescue operations, rescue a firefighter with functioning respiratory protection, rescue a firefighter whose respiratory protection is not functioning, rescue a person who has no respiratory protection, and assess areas to determine tenability.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
<p>Equipment Required: Full personal protective clothing including SCBA, various size ladders, portable radio, flashlight, hose line, and hand tools.</p>		
<p>Conditions: Given a simulated scenario with obscured visibility and a team member, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Size up the problem and select the appropriate tool(s) and equipment.	<input type="checkbox"/>
2.	Ladders are correctly placed for assignment (if chosen by candidate).	<input type="checkbox"/>
3.	Establish, maintain, and search in an effective pattern (i.e. left-hand or right-hand).	<input type="checkbox"/>
4.	Maintain team integrity and safety.	<input type="checkbox"/>
5.	Use hose line effectively (if chosen by candidate).	<input type="checkbox"/>
6.	Find and remove victim (Check victim chosen).	
	Person without respiratory protection <input type="checkbox"/>	Firefighter with Non-Functioning SCBA <input type="checkbox"/>
		Firefighter with Functioning SCBA <input type="checkbox"/>

Evaluator (Print & Sign) _____

Date: _____



FIRE FIGHTER I

JPR: FFI-3J

Candidate: _____

<p>STANDARD: 4.3.11</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>TASK: Perform horizontal ventilation on a structure operating as part of a team, given an assignment, PPE, ventilation tools, equipment, and ladders, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to transport and operate ventilation tools and equipment and ladders, and to use safe procedures for breaking window and door glass and removing obstructions.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
<p>Equipment Required: Full PPE with SCBA, hose line, hand tools, pike pole, ladder, positive pressure fan, and/or smoke ejector.</p>		
<p>Conditions: Given a simulated fire and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
BREAK WINDOW OR DOOR GLASS		
1.	Properly place ladder (if necessary).	
2.	Choose proper tool for task and carry tool safely.	
3.	Assume proper position and break glass.	
4.	Remove glass and any remaining window obstruction. (i.e. curtains, draperies, blinds, etc.)	
FORCED VENTILATION (Choose Positive, Negative, or Hydraulic)		
<i>Positive Pressure Ventilation</i>		
1.	Properly place fan so cone of air covers entry point.	
2.	Ventilation properly performed and structure cleared of smoke.	
<i>Negative Pressure Ventilation</i>		
1.	Properly place fan in exhaust opening to pull smoke out.	
2.	Ventilation properly performed and structure cleared of smoke.	
<i>Hydraulic Ventilation</i>		
1.	Cover 85-90% of the ventilation opening.	
2.	Ventilation properly performed and room cleared of smoke.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER I

JPR: FFI-Live Fire B

Candidate: _____

<p>STANDARD: 4.3.10</p> <p>NFPA 1001, 2019 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Attack an interior above grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to prevent water hammer when shutting down nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; extend hose line; operate charged hose line while secured to ladder; replace burst hose sections; couple and uncouple various hand line connections; carry hose; and, attack fire at above grade level.</p> <p style="text-align: center;">Any Safety infraction is considered an automatic failure of the JPR</p>	
<p>Equipment Required: NFPA 1403 (Standard on Live Fire Training) documentation, full personal protective equipment with SCBA, hose line, hand tools, flashlight, various size ladders, and fire apparatus.</p>		
<p>CONDITIONS: Given an interior above grade level live fire and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Describe hose line replacement method should hose line burst prior to entry.	
2.	Properly wear full protective clothing and SCBA.	
3.	Properly deploy attack line for advancement to fire.	
4.	Properly bleed attack line and adjust nozzle while preventing water hammer.	
5.	Check door before entering and sound floor for stability.	
6.	Use appropriate body posture for conditions.	
7.	Properly ascend stairs.	
8.	Correctly extinguish the fire using pattern selected by proctor.	
9.	Overhaul fire scene while protecting and preserving signs of cause or origin (if present).	
<p>CHECK ATTACK PATTERN TO USE FOR FIRE ATTACK:</p> <p style="display: flex; justify-content: space-around;"> DIRECT <input type="checkbox"/> INDIRECT <input type="checkbox"/> COMBINATION <input type="checkbox"/> </p>		

Evaluator (Print & Sign)

Date: