

## FIRE FIGHTER I JPR: FFI-3O

Ca	andidate: _				
STANDARD: 4.3.16			<b>TASK:</b> Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable extinguishers, so that the correct extinguisher is chosen,		
NFPA 1001, 2019 Edition			the fire is completely extinguished, and correct extinguisher-handling	,	
Fire G	round Oper	rations	techniques are followed.		
PERFORMANCE porta OUTCOME: safel Safe		portable fire exting	Il demonstrate the ability to operate portable fire extinguishers, approach guishers, select an appropriate extinguisher based on the size and type of ole fire extinguishers.		
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.			
Equipn	nent Requi	red: Full PPE if app	plicable, a variety of fire extinguishers, burn pan or prop.		
	ions: Given		lass B, or Class C fire, and in full protective equipment, the candidate sha	ıll	
No.			Task Steps	✓	
		CHECI	K CLASS OF FIRE TO BE EXTINGUISHED:		
		Class A	Class B Class C		
1.	Correctly	y identify the class o	f fire.		
2.	Select an extinguisher suitable for fire given.				
3.	Properly activate the extinguisher (pull pin and/or puncture cartridge).				
4.	Approach to an effective distance for discharge of the selected extinguisher.				
5.	Discharg	Discharge extinguisher agent on the base of the fire and sweep over the fire area.			
6.	Advance	Advance on the remaining burning material while continuing to extinguish hot spots.			
7.	Extinguish the fire and check for remaining hot spots.				
Evaluate	or (Print & S	ign)	Date:		



Candidate:

## FIRE FIGHTER I JPR: FFI-3P

STANDARD: 4.3.17			Task: Operate emergency scene lighting, given fire service lighting equipme	
NFPA 1001, 2019 Edition			power supply and an assignment, so that emergency scene lighting equipmen	uipment is
Fire Ground Operations			operated within the manufacturer's listed safety precautions.	
PERFORMANCE OUTCOME:			Il demonstrate the ability to operate department power supply and lighting cords and connectors, reset ground-fault (GFI) devices, and locate light	_
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
		QUIRED: Portable of the content of t	e or mounted power supply, lights, cords, connectors and ground fault in	terrupters,
CONDI	ITIONS: (	Given illumination ed	quipment, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
1.	Operate power supply properly.			
2.	Illuminate the area sufficiently.			
3.	Allow equipment to cool down before returning to service or verbally explain the need to do so.			
Evaluato	Or (Print & Si	ign)	Date:	



Candidate:

## FIRE FIGHTER I JPR: FFI-3Q

STANDARD: 4.3.18					
NFPA 1001, 2019 Edition			<b>Task:</b> Turn off building utilities, given tools and an assignment, so that the assignment is safely completed.		
Fire Ground Operations		ons	that the assignment is safely completed.		
PERFORMANCE OUTCOME:		The candidate shall demonstrate the ability to identify utility control devices, operate control valves or switches, and assess for related hazards.			
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.			
Equipment Required: Personal protective equipment, hand tools for controlling utilities, and utility service boxes.					
CONDITIONS: Given a utility, the candidate shall demonstrate or verbalize the ability to:					
No.			Task Steps	✓	
	LOCATE U	TILITY SERVICE	BOXES		
1.	Electrical-main panel.				
2.	Natural gas-meter or LPG/CNG-storage tank/cylinder.				
3.	Water-meter box or building water control valve.				
	SHUT OFF UTILITY				
1.	Electrical-breaker to "off".				
2.	Natural gas-gas cock to "off" or LPG/CNG-turn valve clockwise to close.				
3.	Water-turn valve clockwise to close or water valve cross way to direction of flow.				
Evaluator (Print & Sign)  Date:					



**Candidate:** 

## FIRE FIGHTER I JPR: FFI-3S

STANDARD: 4.3.21			Task: Operate an air-monitoring instrument, given an air monitor and an assignment or task, so that the device is operated and fire fighter recognizes high- or low-level alarms of the air monitor and takes action to mitigate the	
NFPA 1001, 2019 Edition				_
Fire Ground Operations		rations	hazard.	
PERFORMANCE OUTCOME:		The candidate, while operating as a member of a team, shall demonstrate the ability to operate the air monitor, recognize the alarms, and react to the alarms of the air monitor.		
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
Equipn	nent Requi	red: Appropriate P	PE, Air Monitor.	
COND	ITIONS: G	iven a simulated inc	ident/scenario and a team, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
1.	Describe operation of meter or instrument.			
2.	Describe what alarm activation indicates.			
3.	Describe at what point the instrument will alarm.			
4.	Describes the actions taken when an alarm sounds.			
Evaluator (Print & Sign)			Date:	