



FIRE FIGHTER I

JPR: FFI-1B

Candidate: _____

STANDARD: 4.1.2; 4.3.20 NFPA 1001, 2019 Edition General Skill Requirements / Fire Ground Operations		Task: Tie the approved knot(s) in preparation for hoisting tools and equipment.
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to tie approved knot(s) within two minutes per knot. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIPMENT REQUIRED: Full PPE including structural gloves, and utility rope.		
CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Tie each knot.	
	a) figure 8	
	b) figure 8 on a bite	
	c) figure 8 follow through	
	d) bowline	
	e) sheet bend	
	f) clove hitch	
	g) over hand safety	

Evaluator (Print & Sign) _____

Date: _____



FIRE FIGHTER I

JPR: FFI-1C

Candidate: _____

STANDARD: 4.1.2; 4.3.20 NFPA 1001, 2019 Edition General Skill Requirements / Fire Ground Operations	Task: Hoist a tool and/or piece of equipment using the correct knot(s)	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to hoist a tool or piece of equipment to a designated height, as specified by evaluator. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.	
EQUIPMENT REQUIRED: Full PPE, utility rope, forcible entry tools, pike pole, roof ladder, hose line, fan, power saw and/or an appliance.		
CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Hoist a tool and/or piece of equipment to a designated height.	

Evaluator (Print & Sign)

Date:

Revised 1/1/2025



FIRE FIGHTER I

JPR: FFI-3F

Candidate: _____

STANDARD: 4.3.6 NFPA 1001, 2019 Edition Fire Ground Operations	Task: Set up, mount, ascend, descend, dismount ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.	
PERFORMANCE OUTCOME:	<p>The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards, mount, ascend, descend and dismount the ladder.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
EQUIPMENT REQUIRED: Straight ladder, various sizes of extension ladders, and full personal protective clothing (SCBA determined by proctor).		
CONDITIONS: Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Select the proper length ladder for the designated task.	
2.	Lift/carry the ladder from the designated area or apparatus.	
3.	Visually check work area for hazards and state if area is safe or if hazards exist.	
4.	Raise the ladder upright.	
5.	Extend and secure fly section (if using an extension ladder).	
6.	Lower ladder against stable wall or surface.	
7.	Adjust for proper climbing angle.	
8.	Position ladder correctly for task given.	

No.	Task Steps	✓
9.	Mounts, Ascends Ladder Properly.	
	SELECT ONE TASK: Window Ventilation: Ladder tip placed about even with the top of the window and to the windward side.	
	Rescue from window or entry through window: Placed slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder for rescue or entry.	
	Work with hose with no entry: Tip placed on wall above window opening if no flames extending from window or at sill if flames out window.	
	Access roof: Placed against roof with 3-5 rungs extending above roof.	
10.	Dismounts and Descends Ladder Properly.	
11.	Lower ladder to ground (reversing raising procedures).	
12.	Lift/carry ladder to designated site or apparatus.	

Evaluator (Print & Sign)

Date: