



# FIRE FIGHTER I

## JPR: FFI-3H

Candidate: \_\_\_\_\_

<b>STANDARD: 4.3.8</b>  <b>NFPA 1001, 2019 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to recognize inherent hazards related to the material's configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate for complete extinguishment, operate hose lines and other water application devices, evaluate and modify water application for maximum penetration, search for and expose hidden fires, and assess patterns for origin determination and evaluate for complete extinguishment.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Stack of Class A material or unattached structure or storage container, hose lines, hand tools, dedicated safety line with personnel, fire apparatus, and full personal protective equipment with SCBA.		
<b>Conditions:</b> Given a simulated or live exterior Class A fire, in accordance to NFPA 1403 guidelines, the candidate shall demonstrate the ability to:		
No.	<b>Task Steps</b>	✓
1.	Describe inherent hazards related to the burning material's configuration.	
2.	Properly bleed attack line and adjust nozzle.	
3.	Break up material using hand tools and water streams.	
4.	Operate hose lines and/or other water application devices.	
5.	Evaluate and modify water application for maximum penetration.	
6.	Extinguish the fire.	
7.	Overhaul fire scene while protecting and preserving signs of cause or origin if present.	
8.	Evaluate for complete extinguishment.	
9.	Verbalize exposure protection.	

\_\_\_\_\_  
Evaluator (Print & Sign)

\_\_\_\_\_  
Date:



# FIRE FIGHTER I

## JPR: FFI-3N

Candidate: \_\_\_\_\_

<b>STANDARD: 4.3.15</b> <b>NFPA 1001, 2019 Edition</b> <b>Fire Ground Operations</b>		<b>TASK:</b> Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed.
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate, while operating as a member of a team, shall demonstrate the ability to hand lay a supply hose, connect and place hard suction hose for drafting operations, deploy portable water tanks as well as the equipment necessary to transfer water between and draft from them, make hydrant-to-pumper hose connections for forward and reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> Full PPE, appropriate equipment for hydrant and static water supply.		
<b>Conditions:</b> Given a static water source and fire hydrant, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>FIRE HYDRANT CONNECTION VIA FORWARD &amp; REVERSE LAY</b>		
1.	Connect supply hose to hydrant.	
2.	Connect supply hose to pumper intake.	
3.	Fully open hydrant.	
4.	Fully close the hydrant.	
<b>STATIC WATER SOURCE</b>		
1.	Deploy portable water tank.	
2.	Check gaskets on the hard suction hose for dirt, gravel or defects.	
3.	Connect strainer to hose.	
4.	Connect hard suction hose to pumper.	
5.	Lower hose and strainer into static water source.	

\_\_\_\_\_  
 Evaluator (Print & Sign)

\_\_\_\_\_  
 Date: