

FIRE FIGHTER I JPR: FFI-1A

STANDARD: 4.1.2					
NFPA 1001, 2019 Edition		dition	Don personal protective clothing within one (1) minute.		
Genera	General Skill Requirements:				
PERFORMANCE OUTCOME:		Safety: A safety v	Il be able to properly don personal protective clothing in one minute.	review	
EQUIP	EQUIPMENT REQUIRED: Bunker pants, coat, hood, gloves, and helmet.				
COND	ITIONS: Giv	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps ✓		✓		
	DONNING:				
1.	Don pants	and boots properly-	including suspenders in place.		
2.	Don hood.				
3.	Don coat-including storm flap closed and collar up and secured.				
4.	Don helmet. (eye protection not required)				
5.	Don gloves.				
6.	Complete above correctly within one minute.				
Evaluato	O r (Print & Sigr	n)	Date:		
_, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	or (rimit or DISI	·* <i>)</i>	Date.		

Candidate:



FIRE FIGHTER I JPR: FFI-1E

(Candidate: _			
I				
STANDARD: 4.1.2			Task #1: Perform field reduction of contaminants.	
NFPA 1	1001, 2019 E	dition		
Genera	l Skill Requi	rements:	Task #2: Doff personal protective clothing and prepare for reuse.	
PERFORMANCE OUTCOME:		The candidate shall clothing for reuse.	The candidate shall be able to properly perform field reduction, and doff personal protective clothing for reuse.	
		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
EQUIP	MENT REQ	UIRED: Bunker p	ants, coat, hood, gloves, and helmet.	
COND	ITIONS: Giv	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:	
No.		Task Steps ✓		√
FIELD REDUCTION:				
1.	Perform field reduction of contaminants per AHJ standard practice.			
DOFFING:				
2.	Explain or demonstrate AHJ process for returning PPE in an operational state.			
Evaluato	Evaluator (Print & Sign) Date:			



RESTRICTED PASSAGE:

FIRE FIGHTER I JPR: FFI-3A

Ca	andidate:				
STANI	DARD: 4.3.1; 4.3.9	Task: Use SCBA during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned and activated within 1 minute, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all			
NFPA	1001, 2019 Edition				
Fire G	round Operations	low-air warnings are recognized, respiratory protection is not intention compromised, and hazardous areas are exited prior to air depletion.	ally		
ll .	RMANCE SCBA air cylinde procedures in the	all demonstrate the ability to Don SCBA within 1-minute, control breathing rs, use SCBA to exit through restricted passages, initiate and complete em event of SCBA failure or air depletion, and complete donning procedures	ergency		
	safety violation.	violation is grounds for automatic failure. All proctors present shall r	eview the		
EQUIF	PMENT REQUIRED: SCBA	prop for restricted passage, and full personal protective equipment.			
COND ability t		ound environment and with restricted passages, the candidate shall demons	trate the		
No.		Task Steps	✓		
	Don SCBA:				
1.	Correctly don SCBA include PASS device.	ing checking amount of air in cylinder and operation of low air alarm and			
2.	Correctly don face piece inc	Correctly don face piece including checking seal and operating of exhalation.			
3.	Have all personal protective	clothing correctly in place.			
4.	4. Correctly accomplished all of the above in one (1) minute.				
	DEMONSTRATE CON	SERVATION OF AIR:			
5.	Controlled Breathing: (As	taught / Instructed by AHJ).			
	SCBA FAILURE:				
	Air Delivery System:				
6	Recognizes Air Delivery System Failure				
6.	Initiates actions to exit hazardous environment				
	Activates PASS Device				
	CYLINDER REPLACE	MENT - NON HAZARDOUS ENVIRONMENT:			
7.	Properly demonstrates abilit	y to change out empty cylinder with full cylinder			
	+				

Demonstrate the ability to maneuver through a restricted passage while remaining on air.

Evaluator (Print & Sign)	Date:	



FIRE FIGHTER I JPR: FFI-3D

Candidate: STANDARD: 4.3.4 Task: Force entry into a structure, given full PPE, tools, and an assignment, so NFPA 1001, 2019 Edition that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry. **Fire Ground Operations** The candidate shall demonstrate the ability to transport and operate hand and power tools and to PERFORMANCE force entry through doors, windows, and walls using assorted methods and tools. **OUTCOME:** Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. **EQUIPMENT REQUIRED:** PPE, appropriate hand or power tools, and forcible entry props (if available). **CONDITIONS:** Given a Door, Window and Wall prop the candidate shall demonstrate the ability to: Task Steps (ALL REQUIRED) No. **DOOR** 1. Select the appropriate tool(s). 2. Safely carry the selected tool(s) to the door. Correctly size up the door and check to see if door is unlocked. 4. Choose the appropriate technique and demonstrate or simulate forced entry. 5. Control the door and clear opening of obstacles. WALL Select the appropriate tool(s). 1. 2. Safely carry the selected tool(s) to the wall. 3. Sound for studs (if applicable). 4. Choose the appropriate technique and demonstrate or simulate forced entry. WINDOW 1. Select the appropriate tool(s). 2. Safely carry the selected tool(s) to the window. 3. Correctly size up the window. 4. Choose the appropriate technique and demonstrate or simulate forced entry. Clear opening of obstacles (i.e. Glass, Curtains, Blinds (if applicable).

	<u></u>	
Evaluator (Print & Sign)	Date:	



FIRE FIGHTER I JPR: FFI-3E

Ca	ndidate: _			
STANDARD: 4.3.5 NFPA 1001, 2019 Edition		Edition	Task: Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained.	
PERFORMANCE conditions, locate a identify a safe have		The candidate shall conditions, locate identify a safe hav Safety: A safety v	Il demonstrate the ability to operate as a team member in vision-obscured and follow a guideline, conserve air supply, and evaluate areas for hazard en. violation is grounds for automatic failure. All proctors present shall reference to the conserved of the co	
EQUIP	MENT RE	QUIRED: Persona	al protective equipment, SCBA, hand tools, and hose line / guideline.	
		iven a simulated or a	live fire scenario, as a member of a team with vision-obscured conditions, to:	the
No.	Task Steps		✓	
1.	Determine air supply available prior to entering the hazardous atmosphere.			
2.	Monitor the air supply available while in the hazardous atmosphere.			
3.	Locate hose line or guideline and determine correct method of travel for egress.			
4.	Make decision to leave hazardous atmosphere before depletion of air supply while maintaining team integrity.			
5.	Exit hazardous atmosphere before depletion of air supply.			
6	Verbalize	es candidate has exit	ted the hazardous area.	
Evaluator (Print & Sign)			Date:	



FIRE FIGHTER I JPR: FFI-3I

Ca	andidate: _				
STANDARD: 4.3.9			TASK: Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective		
NFPA 1001, 2019 Edition Fire Ground Operations			equipment, a flashlight, forcible entry tools, hose lines, and ladders when ecessary, so that ladders are correctly placed when used, all assigned searched, all victims are located and removed, team integrity is mainta team member's safety – including respiratory protection – is not comp	areas are ined, and	
PERFORMANCE OUTCOME: up and use different functioning respiration functioning, rescue tenability.		up and use differe functioning respira functioning, rescutenability. Safety: A safety v	Il demonstrate to the ability to use an SCBA to exit through restricted pas nt types of ladders for various types of rescue operations, rescue a firefiglatory protection, rescue a firefighter whose respiratory protection is not e a person who has no respiratory protection, and assess areas to determination is grounds for automatic failure. All proctors present shall respectively.	hter with	
hose lin	ne, and hand	tools.	protective clothing including SCBA, various size ladders, portable radio,		
Condit ability t		a simulated scenar	io with obscured visibility and a team member, the candidate shall demon	strate the	
No.			Task Steps	✓	
1.	Size up the problem and select the appropriate tool(s) and equipment.				
2.	Ladders are correctly placed for assignment (if chosen by candidate).				
3.	Search in a body position appropriate for conditions (i.e. crawling, walking)				
4.	Establish, maintain, and search in an effective pattern (i.e. left-hand or right-hand).				
5.	Maintain team integrity, safety, and communication.				
6.	Use hose line effectively (if chosen by candidate).				
	Find and remove victim (Circle victim chosen).				
7.	Person without respiratory protection		Firefighter with Non-Firefighter with Further SCBA SCBA	nctioning	
Evaluate	or (Print & Si	(gn)	Date:		